



PRODUCT TYPE: Glazed, colour bodied porcelain

COLOURS: Beige, Charcoal, Grey, Taupe

SIZES: 300x300mm, 300x600mm,

600x600mm, 450x900mm,

75x300mm

FINISHES/USAGE: Matt, Rock, Paver and Lappato/Wall and Floor

AESTHETIC QUALITIES: Concrete look

ORIGIN: N/A

TECHNICAL DATA: P3 Pendulum Slip Rating (Matt)

P5 Pendulum Slip Rating (Rock) More technical data on last page VARIATION:



Freelance : Quality Tiles + Natural Stone

PRODUCT INFORMATION



70280 Beige

Matt (P3 Slip Rating) Rock (P5 Slip Rating) Semi-Polished 300x300mm | 600x600mm | 450x900mm 600x600mm | 600x600mm 300x600mm | 600x600mm | 450x900mm



70282 Grey

Matt (P3 Slip Rating) Rock (P5 Slip Rating) Semi-Polished 300x300mm | 600x600mm | 450x900mm 600x600mm | 600x600mm 300x600mm | 600x600mm | 450x900mm



70281 Charcoal

Matt (P3 Slip Rating) Rock (P5 Slip Rating) Semi-Polished 300x300mm | 600x600mm | 450x900mm 600x600mm | 600x600mm 300x600mm | 600x600mm | 450x900mm



70283 Taupe


Matt (P3 Slip Rating) Rock (P5 Slip Rating) Semi-Polished 300x300mm | 600x600mm | 450x900mm 600x600mm | 600x600mm 300x600mm | 600x600mm | 450x900mm

Freelance: Quality Tiles + Natural Stone

LIFESTYLE IMAGES









TECHNICAL DATA

technical characteristics		test method	standard	test result
۵ ۵ ۵ ۵ ۵	water absorption	iso 10545-3	average E ≤0.5% individual maximum: 0.6%	0.06% ~ 0.09% Pass
0	abrasion resistance	iso 10545-7	Abrasion Class	Class 3
<u> </u>	breaking strength (S)	iso 10545-4	≥1300	2296 Pass
+ 1	thermal shock resistance	iso 10545-9	pass according to ISO 10545-1	resistant
	resistance to household chemicals	iso 10545-13	minimum GB	GA Pass
٠٢,	stain resistance	iso 10545-14	minimum class 3	class 5