

VISION SERIES

Imported from Spain, our VISION Series is inspired by Moroccan Zellige tiles. Available in two formats and a variety of colours.



PRODUCT TYPE: Glazed, colour bodied porcelain

COLOURS: White, Rose, Aqua, Alabaster, Algae and Graphite

SIZES: 132x132mm and 65x200mm
Non-Rectified Edges


FINISHES/USAGE: Gloss/Wall only

AESTHETIC QUALITIES: Vast colour range with gentle variation

ORIGIN: Spain

TECHNICAL DATA: More technical data on last page

VARIATION:



V4

VISION SERIES

PRODUCT INFORMATION




White 27990G-132

Gloss 132x132mm



Rose 27991G-132

Gloss 132x132mm




Aqua 27992G-132

Gloss 132x132mm



Alabaster 27993G-132

Gloss 132x132mm




Algae 27994G-132

Gloss 132x132mm



Graphite 27995G-132

Gloss 132x132mm



VISION SERIES

PRODUCT INFORMATION



White 27990G-620

Gloss 65x200mm



Rose 27991G-620

Gloss 65x200mm




Aqua 27992G-620

Gloss 65x200mm




Alabaster 27993G-620

Gloss 65x200mm




Algae 27994G-620

Gloss 65x200mm



Graphite 27995G-620

Gloss 65x200mm



VISION SERIES

LIFESTYLE IMAGES








Freelance
Quality Tiles + Natural Stone



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

VISION SERIES

TECHNICAL DATA

	technical characteristics	test method	result
	water absorption	EN ISO 10545-3	> 10 % (BIII)
	modulus of rupture	EN ISO 10545-4	> 12 N/mm ²
	surface quality	EN ISO 10545-2	complies
	breaking strength	EN ISO 10545-4	> 600 N
	abrasion resistance	EN 101	3
	chemical resistance	EN ISO 10545-13	GLA GHB GA
	resistance to thermal shock	EN ISO 10545-9	Guaranteed