

MARRAKESH SERIES

Imported from Italy, our **MARRAKESH** Series is inspired by Moroccan Zellige tiles and features a solid range of organic colours with strong variation. Available in a 100x100mm format for wall only.



PRODUCT TYPE: Ceramic wall tile

COLOURS: Light, Sabbia, Caldo, Shell, Caramel, Sky, Aqua, Midnight, Turquoise, Verde, Autumn and Black

SIZES: 100x100mm
Non-Rectified Edges


FINISHES/USAGE: Gloss/Wall only

AESTHETIC QUALITIES: Organic colour range and glossy surface

ORIGIN: Italy

TECHNICAL DATA: More technical data on last page

VARIATION:



V2-V4

MARRAKESH SERIES

PRODUCT INFORMATION



Light 89510
Gloss 100x100mm




Sabbia 89502
Gloss 100x100mm



Caldo 89501
Gloss 100x100mm



Shell 89505
Gloss 100x100mm



Caramel 89511
Gloss 100x100mm



Sky 89506
Gloss 100x100mm




MARRAKESH SERIES


PRODUCT INFORMATION



Aqua 89508
Gloss 100x100mm




Midnight 89507
Gloss 100x100mm




Turquoise 89503
Gloss 100x100mm



Verde 89504
Gloss 100x100mm



Autumn 89509
Gloss 100x100mm



Black 89500
Gloss 100x100mm



MARRAKESH SERIES

LIFESTYLE IMAGES









Freelance
Quality Tiles + Natural Stone



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

MARRAKESH SERIES

TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	Eb ≤0,5 (Individual maximum value 0,6%)
	modulus of rupture	ISO 10545-4	≥35	R ≥35 (Individual minimum value 32 N/mm ²)
	surface quality	ISO 10545-2	Complies with the standards	≥95%
	breaking strength	ISO 10545-4	≥1300	≥1300 (Thickness ≥7,5 mm) ≥700 (Thickness < 7,5 mm)
	crazing resistance	ISO 10545-11	Pass	Pass
	chemical resistance	ISO 10545-13	Declared value	Pass
	resistance to frost	ISO 10545-12	Resistant	Pass
	staining resistance	ISO 10545-14	Minimum Class 3	Pass